


THE
NOVAFLEX[®]
GROUP



Concrete Hose





HP Novacrete™

Novaflex 5787

High pressure hose designed to handle the pumping of concrete, plaster or grout mixture.

Specifications

Tube: Abrasion resistant synthetic rubber

Reinforcement: High tensile synthetic textile

Cover: Black Abrasion, ozone and weather resistant synthetic rubber

Length: 100 ft

Temperature Range: -20°F to 160°F

Safety Factor: 2:1

Product No	ID	OD	WP	Min Burst Pressure
5787BS-01500-00	1 ½	2.19	1233	2580
5787BS-02000-00	2	2.83	1233	2580
5787BS-02500-00	2 ½	3.33	1233	2580
5787BS-03000-00	3	4.01	1233	2580
5787BS-03500-00	3 ½	4.65	1233	2580
5787BS-04000-00	4	5.10	1233	2580
5787BS-05000-00	5	6.09	1233	2580



For proper hose care use and maintenance: See NovaFlex® Correct Care and Maintenance Guide form no 2003-1 (also at: www.novaflex.com).

The information provided within is for informational purposes only. We have made every effort to ensure the accuracy of the provided information and assume no responsibility for any loss or damage due to errors or omissions or to the use or misuse of any information supplied. It is impossible to test all products under all conditions to which they might be subjected in the field. It is therefore the buyer and/or end users' responsibility to test all products under the conditions that duplicate the service conditions prior to installation. All improvements, all specifications are subject to change without prior notice. It is the buyer and/or end users' responsibility to review our complete Terms and Conditions of Sale located on our web sites at: www.novaflex.com | www.z-flex.com | www.flexmaster.com.

THE NOVAFLEX[®] GROUP



The Novaflex Group is a market leader through excellence in product innovation and design. The Novaflex Group is a privately held company committed to continuous advancement in hose and connector solutions. Novaflex has one of the broadest product ranges available in the hose and ducting marketplace, as well as the HVAC, Industrial Venting, Hose Industries and Commercial Exhaust Venting Systems. Products are sold in industries across North America and around the world.

Canada

Ajax, Ontario

Tel: 905.686.5200

Fax: 905.686.8349

U.K.

Bromborough, Wirral

Tel: 44(0)151.334.0873

Fax: 44(0)151.334.7145

sales@novaflex.co.uk

U.S.A.

West Berlin, NJ

Tel: 856.768.2275

Fax: 856.768.2385

800.225.0215

Indianapolis, IN

Tel: 317.334.1444

Fax: 317.334.1535

800.526.6288

Burlington, NC

Tel: 336.578.2161

Fax: 336.578.5554

800.334.4270

Website: www.novaflex.com Email: sales@novaflex.com